DRSQ38NI-2

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2



DELRAY / SINGLE SIDED

DELRAY

SQUARE

The DelRay Square Universal Burner

A revolutionary burner system, creating endless opportunities

Versatility

We have developed a burner system that is not only convertible from natural gas to propane, but can switch from traditional to contemporary burner media without changing the burner system.

Media kits, such as logsets and contemporary scenes, must be ordered along with the unit.

Combustible facing

Our unique firebox design allows for installing a combustible wood facing right down to the glass opening.

Trim Kits

For uneven and ledgestone finishing, a slim finishing kit connects directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".







TRADITIONAL LOGSETS Hand painted to perfection

Each logset is designed to work with the universal burner system that ensures a realistic flame pattern that fills the firebox.

All logsets come standard with a black coal firebed and glowing ember media.



WATCH IT BURN DELRAY SQUARE 38 VIDEO



Scan the QR code to see the DelRay Square 38 burning with 9 media sets and 7 liners.

DELRAY SQUARE 38 MEDIA SHOWN BELOW




WATCH IT BURN DELRAY SQUARE 42 VIDEO



Scan the QR code to see the DelRay Square 42 burning with 9 media sets and 7 liners.

DELRAY SQUARE 42 MEDIA SHOWN BELOW







DELRAY

SQUARE

CONTEMPORARY & TRADITIONAL

DELRAY FULL LOAD

Standard

Concealed universal burner

Multi-function remote control

Remote Hi-Lo flame control

Remote controlled fans

Low-Vis safety screen

Battery backup

Halogen downlighting

Options

Heat management

Adjustable trim kits

Traditional logsets

Contemporary scenes

Traditional and contemporary liners

Propane conversion kit

Speckled stones, glass media

DELRAY BASIC

Concealed universal burner

Standard

Manual Hi-Lo flame control

Options

Heat management

Adjustable trim kits

Remote control

Fans

Low-Vis safety screen

Traditional and contemporary liners

Propane conversion kit

Battery backup

Traditional logsets

Contemporary scenes

Speckled stones, glass media

DRSQ38 DRSQ38-2

SINGLE SIDED

QUICK DIMENSIONS

DRSQ38

	UNIT	FRAM.
F.WIDTH	38	40
B.WIDTH	203/8	40
HEIGHT	38	447/16
DEPTH	161/2	18
VIEWING	3311/10	5 X 22 1/8


BTU LISTING

DRSQ38NI / 20,500 DRSQ38LI / 16,500

EFFICIENCY

DRSQ38NI / 63% P.4. 1-15 **DRSQ38LI /** 61% P.4. 1-15

DRSQ38NI-2 / 64% P.4. 1-15 **DRSQ38LI-2** / 61% P.4. 1-15



ASH FLUTED DRSQBK38AF

BLACK GLASS RBGDRSQ38

VINTAGE BRICK DRSQBK38VB

TAN BRICK DRSQBK38TB

RED BRICK DRSQBK38RB

GREY LEDGESTONE DRSQBK38GL

0

21/8

HERRINGBONE DRSQBK38GH





DELRAY

SQUARE

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2

MAKE A STATEMENT

DELRAY FULL LOAD SQUARE

Standard

Concealed universal burner

Multi-function remote control

Remote Hi-Lo flame control

Remote controlled fans

Low-Vis safety screen

Battery backup

Halogen downlighting

Options

Heat management

Adjustable trim kits

Traditional logsets

Contemporary scenes

Traditional and contemporary liners

Propane conversion kit

Speckled stones, glass media

Standard

Concealed universal burner

DELRAY BASIC SQUARE

Manual Hi-Lo flame control

Options

Heat management

Adjustable trim kits

Remote control

Fans

Low-Vis safety screen

Traditional and contemporary liners

Propane conversion kit

Battery backup

Traditional logsets

Contemporary scenes

Speckled stones, glass media

QUICK DIMENSIONS


	DRS	SQ42	DRSQ46				
	UNIT	FRAM.	UNIT	FRAM.			
F.WIDTH	42	45	46	49			
B.WIDTH	205/8	45	223/4	49			
HEIGHT	433/16	51	473/16	55			
DEPTH	191/2	22	21	22			
VIEWING	3711/16	x 26 1/8	41 ¹¹ / ₁₆ x 30 ⁷ / ₈				

BTU LISTING


DRSQ42NI / 32,500 DRSQ42LI / 27,000 DRSQ46NI / 40,000 DRSQ46LI / 34,000 DRSQ42NI-2/32,500 DRSQ42LI-2/27,000 DRSQ46NI-2/40,000 DRSQ46LI-2/34,000

EFFICIENCY

DRSQ42NI / 63.1% P.4. 1-15 DRSQ42LI / 63% P.4. 1-15 DRSQ46NI / 64.1% P.4. 1-15 DRSQ46LI / 64.7% P.4. 1-15 DRSQ42NI-2/63.1% P.4. 1-15 DRSQ42LI-2/63% P.4. 1-15 DRSQ46NI-2/64.1% P.4. 1-15 DRSQ46LI-2/64.7% P.4. 1-15



DELRAY SQUARE DIMENSIONS







REMOTE^A RX200**



GREY HERRINGBONE DRSQBK**GH

WALL REMOTE[†] REC1493



GREY LEDGESTONE DRSQBK**GL



DELRAY / SQUARE / DRSQ46NI-2

DOWNLIGHTING²



ASH FLUTED DRSQBK**AF



TRADITIONAL LOGETS LGS**



BLACK GLASS RBGDRSQ**



CONTEMPORARY SCENES



VINTAGE BRICK DRSQBK**VB



TRIM KIT DRSQT**-*



TAN BRICK DRSQBK**TB



[△]Standard on DRSQ**NI-2 †Optional on DRSQ**NI-2 only

RED BRICK DRSQBK**RB

DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAG

The finishing options for the DelRay Square are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

Traditional Finishing

DRSQ38 NON-VENTED CHASE SURFACE TEMPERATURES

Requires included cement board and stud heat deflector.



Trim Kits

For uneven and ledgestone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"



COOL WALL ADVANTAGE / TV KIT

CHASE VENTING VALANCE

Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

Cool Wall Release

DRSQ38 VENTED CHASE SURFACE TEMPERATURES

DRSQ38 Minimum 100² inch opening

DRSQ42 Minimum 120² inch opening

DRSQ46 Minimum 140² inch opening

Temperatures shown are based on a DRSQ38NI-2 with vented chase

Minimum 6' chase (When venting ports open or using Cool Wall Advantage kit) Minimum 7' chase for DRSQ46

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.



VENTING PORTS

Opening the venting ports diverts heat though the chase, resulting in lower wall surface temperatures

Cool Wall Advantage kits convection of Cool Wall Advantage

Cool Wall Advantage kits convection pulls the heat through the attached vents and distributes it where it belongs - in the room.

90°F

16" ABOVE

OPENING

100°F 12" ABOVE OPENING

115°F

8" ABOVE OPENING

130°F

4" ABOVE

OPENING






Leverage the heat from your fireplace to warm a room that shares a wall with the unit.

Combustible



















Unit Specifications

ICON LEGEND

AVAILABLE +


DEDICATED ◊

NOT AVAILABLE STANDARD

	BTU NATURAL GAS	BTU LIQUID PROPANE	VENTING	CLEARANCE TOP - TOP VENT	CLEARANCE REAR - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	CLEARANCE MANTEL	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	LOW-VIS SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
DRSQ38*I-2	24,000	19,500	5″/8″∆	21	17	0	11/2	0	6	33 ¹¹ / ₁₆ X 22 ⁷ / ₈	BOROSILICATE	N/A	0	+	0	0	-	o
DRSQ38*I	20,500	16,500	5″/8″ △	21	17	0	11/2	0	6	$33^{11}/_{16}X227/_{8}$	BOROSILICATE	N/A	+	+	+	+	-	-
DRSQ42*I-2	32,500	27,000	5"/8"	28	28	1/2	11/2	0	10	37 ¹¹ / ₁₆ X 26 ⁷ / ₈	BOROSILICATE	N/A	0	+	0	0	-	o
DRSQ42*I	32,500	27,000	5"/8"	28	28	1/2	1½	0	10	3711/16 X 267/8	BOROSILICATE	N/A	+	+	+	+	-	-
DRSQ46*I-2	40,000	34,000	5"/8"	35	35	1/2	1	0	10	41 ¹ 1/ ₁₆ X 30 ⁷ / ₈	BOROSILICATE	N/A	0	+	0	0	-	0
DRSQ46*I	40,000	34,000	5"/8"	35	35	1/2	1	0	10	41 ¹¹ / ₁₆ X 30 ⁷ / ₈	BOROSILICATE	N/A	+	+	+	+	-	-

∆Can be reduced to 4"7"

DELRAY SQUARE FRAMING (MINIMUM DIMENSIONS)



1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.



WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to www.montigo.com



